



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/539,313	03/30/2000	Chung-Ho Huang	LAM1P136/P0602	7930

22434 7590 04/07/2003

BEYER WEAVER & THOMAS LLP
P.O. BOX 778
BERKELEY, CA 94704-0778

EXAMINER

ENGLAND, DAVID E

ART UNIT PAPER NUMBER

2143

DATE MAILED: 04/07/2003

8

Please find below and/or attached an Office communication concerning this application or proceeding.

8

Office Action Summary

Application No.

09/539,313

Applicant(s)

HUANG ET AL.

Examiner

David E. England

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 May 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-15 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2,4-6.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 2143

DETAILED ACTION

1. Claims 1 – 15 are presented for examination.

Election/Restrictions

1. Applicant's election with traverse claims 1 – 9 from the claims of 1 – 15.

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
3. The limitation of, “initializing the first sensor, which is able to measure a first parameter in the process chamber”, is not described in the specification.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2143

2. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kail (6225901) in view of Nakamura et al. (6233492) (hereinafter Nakamura).

3. As per claim 1, Kail teaches a computer implemented method for communicating between a computing system of a process module, and a first sensor, comprising the steps of:

4. initializing the computing system of the process module, (e.g. col. 6, line 49 – col. 7, line 20);

5. transmitting a connect message from the first sensor to the computing system of the process module, (e.g. col. 6, line 49 – col. 7, line 20);

6. transmitting a command to get reportable specification from the computing system of the process module to the first sensor, (e.g. col. 6, line 49 – col. 7, line 59); and

7. transmitting a reportable specification message from the first sensor to the computing system of the process module, (e.g. col. 7, line 21 – col. 8, line 28). Kail does not teach the process module having a process chamber, initializing the first sensor, which is able to measure a first parameter in the process chamber.

Nakamura teaches the process module having a process chamber, initializing the first sensor, which is able to measure a first parameter in the process chamber, (e.g. col. 3, line 35 – col. 4, line 67). It would be obvious to one skilled in the art at the time the invention was made to combine Nakamura with Kail because it would be more efficient for the computing system to utilize a network type connection so the user can operate the sensor and process chamber from different locations in a building.

8. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kail (6225901) in view of Nakamura (6233492) in further view of Steen, III et al. (6510350) (hereinafter Steen) in further view of Kosugi et al. (6204768) (hereinafter Kosugi).

Art Unit: 2143

9. As per claim 2, Kail and Nakamura do not specifically teach spawning within the computing system of the process module a connection monitor task;
10. spawning from the connection monitor task within the computing system of the process module a first sensor messaging task;
11. transmitting an acknowledgement of the command to get reportable specification from the first sensor to the computing system of the process module; and
12. transmitting an acknowledgement of the reportable specification message from the computing system of the process module to the first sensor. Steen teaches spawning within the computing system of the process module a connection monitor task, (e.g. col. 11, line 4 – col. 12, line 21);
13. spawning from the connection monitor task within the computing system of the process module a first sensor messaging task, (e.g. col. 11, line 60 – col. 12, line 56);
14. transmitting an acknowledgement of the command to get reportable specification from the first sensor to the computing system of the process module, (e.g. col. 9, line 63 – col. 10, line 29). It would be obvious to one skilled in the art at the time the invention was made to combine Steen with the combine system of Kail and Nakamura because
15. Steen does not specifically teach transmitting an acknowledgement of the reportable specification message from the computing system of the process module to the first sensor. Kosugi teaches transmitting an acknowledgement of the reportable specification message from the computing system of the process module to the first sensor, (e.g. col. 8, lines 28 – 48). It would be obvious to one skilled in the art at the time the invention was made to combine Kosugi with the combine system of Kail and Nakamura because it would be more efficient for a system to utilize the properties of an acknowledgement signal so in case of a bad transmission the sensor would know that the computing system did or did not get the signal and to retransmit the signal.

Art Unit: 2143

16. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kail (6225901) in view of Nakamura (6233492) in further view of Steen (6510350) in further view of Kosugi (6204768) in further view of Dewar et al. (4645348) (hereinafter Dewar).

17. As per claim 3, Kail and Nadamura do not specifically teach transmitting command to get an alarm table command from the first sensor to the computing system of the process module;

18. transmitting an acknowledgement of the command to get the alarm table from the computing system of the process module to the first sensor;

19. transmitting an alarm table from the computing system of the process module to the first sensor; and

20. transmitting an acknowledgement of the alarm table from the first sensor to the computing system of the process module. Dewar teaches transmitting command to get an alarm table command from the first sensor to the computing system of the process module, (e.g. col. 6, lines 31 – 44);

21. transmitting an alarm table from the computing system of the process module to the first sensor, (e.g. col. 6, lines 31 – 44). It would be obvious to one skilled in the art at the time the invention was made to combine Dewar with the combine system of Kail and Nakamura because it would be more efficient for a system to transmit one alarm table to and from the computing system and the first sensor and having the sensor update the table as opposed to sending multiple packets of data throughout the system with a potential to cause slow transmission in the system.

22. Dewar does not specifically teach transmitting an acknowledgement of the command to get the alarm table from the computing system of the process module to the first sensor;

23. transmitting an acknowledgement of the alarm table from the first sensor to the computing system of the process module. Kosugi teaches transmitting an acknowledgement of the command to get the alarm table from the computing system of the process module to the first sensor, (e.g. col. 8, lines 28 – 48), and Steen teaches

Art Unit: 2143

transmitting an acknowledgement of the alarm table from the first sensor to the computing system of the process module, (e.g. col. 9, line 63 – col. 10, line 29). It would be obvious to one skilled in the art at the time the invention was made to combine Kosugi and Steen with the combine system of Kail, Nakamura and Dewar because if the computing system and the first sensor could not acknowledge each others transmissions the system could accumulate transmission errors and improper updating of the measurements that the sensor detects.

24. Claims 4 – 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kail (6225901) in view of Nakamura (6233492) in further view of Steen (6510350) in further view of Kosugi (6204768) in further view of Dewar (4645348) in further view of Halpern (5301122).

25. As per claim 4, Kail, Nakamura and Dewar do not specifically teach transmitting command to get time and initialization data from the first sensor to the computing system of the process module;

26. transmitting time and initialization data from the computing system of the process module to the first sensor. Halpern teaches transmitting command to get time and initialization data from the first sensor to the computing system of the process module, (e.g. col. 11, lines 13 – 49);

27. transmitting time and initialization data from the computing system of the process module to the first sensor, (e.g. col. 11, lines 13 – 49). It would be obvious to one skilled in the art at the time the invention was made to combine Halpern with the combine system of Kail, Nakamura and Dewar because it would be more efficient in the updating process to have time and initialization data so when the computing system does attempt to update its information the computing system can compare the two different times and initialization datas and to determine which ones are the latest versions of information to save.

Art Unit: 2143

28. Halpern does not specifically teach transmitting an acknowledgement of the command to get time and initialization data from the computing system of the process module to the first sensor;
29. transmitting an acknowledgement of the time and initialization data from the first sensor to the computing system of the process module. Kosugi teaches transmitting an acknowledgement of the command to get time and initialization data from the computing system of the process module to the first sensor, (e.g. col. 8, lines 28 – 48), and Steen teaches transmitting an acknowledgement of the time and initialization data from the first sensor to the computing system of the process module, (e.g. col. 9, line 63 – col. 10, line 29). It would be obvious to one skilled in the art at the time the invention was made to combine Kosugi and Steen with the combine system of Kail, Nakamura, Dewar and Halpern because of similar reasons as stated above.
30. As per claim 5, Kail, Kosugi, Dewar and Halpern do not specifically teach transmitting a process related command related to the execution of an action in the process chamber from the computing system of the process module to the first sensor;
31. executing the action in the process chamber, wherein said action relates to the processing of semiconductor related devices; and
32. transmitting an acknowledgement of the process related command from the first sensor to the computing system of the process module. Nakamura teaches transmitting a process related command related to the execution of an action in the process chamber from the computing system of the process module to the first sensor, (e.g. col. 3, line 35 – col. 4, line 67);
33. executing the action in the process chamber, wherein said action relates to the processing of semiconductor related devices, (e.g. col. 3, line 35 – col. 4, line 67). It would be obvious to one skilled in the art at the time the invention was made to combine Nakamura with the combine system of Kail, Kosugi, Dewar and Halpern because

Art Unit: 2143

34. Nakamura does not specifically teach transmitting an acknowledgement of the process related command from the first sensor to the computing system of the process module. Steen teaches transmitting an acknowledgement of the process related command from the first sensor to the computing system of the process module, (e.g. col. 9, line 63 – col. 10, line 29). It would be obvious to one skilled in the art at the time the invention was made to combine Steen with the combine system of Kail, Nakamura, Kosugi, Dewar and Halpern because of similar reasons as stated above.

35. Claims 6 – 9 are rejected for similar reasons as stated above. Furthermore, in reference to a second and third sensor, Kosugi teaches a second and a third sensor, (e.g. col. 6, lines 3 – 33 & Figure 1). It would be obvious to one skilled in the art at the time the invention was made to combine Kosugi with the combine system of Kail, Nakamura, Steen, Dewar and Halpern because having more than one or two sensors would make a system gather information from different locations at a faster pace than having one sensor having to electronically relocate to a different section of the system to gather information about the system, therefore making the system more efficient.

Conclusion

36. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

37. Hwang et al. U.S. Patent No. 6157867 discloses Method and system for on-line monitoring plasma chamber condition by comparing intensity of certain wavelength.

38. Straser et al. U.S. Patent No. 6292108 discloses Modular, wireless damage monitoring system for structures.

39. Friton et al. U.S. Patent No. 5937365 discloses Communications system for vehicle wheel alignment apparatus.

Art Unit: 2143


40. Moore U.S. Patent No. 6370454 discloses Apparatus and method for monitoring and maintaining mechanized equipment.
41. Eastburn et al. U.S. Patent No. 5831851 discloses Apparatus and method for controlling high throughput sputtering.
42. Sandelman et al. U.S. Patent No. 6535123 discloses Electronic message delivery system.
43. Wymore U.S. Patent No. 6515586 discloses Tactile tracking systems and methods.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to David E. England whose telephone number is 703-305-5333. The examiner can normally be reached on Mon-Thur, 7:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on 703-308-5221. The fax phone numbers for the organization where this application or proceeding is assigned are none for regular communications and none for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is none.

David E. England
Examiner
Art Unit 2143

De 
March 31, 2003


DAVID WILEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100